



**B
E
R
M
A
Q**



www.bermaq.com





BERMAQ

TERMS AND CONDITIONS

- **SAFETY:** The machine has been designed and manufactured according to CE safety regulations in machinery.
- **TRANSPORT, INSURANCE, AND SET-UP:** not included. For road transport the machine is assembled before being shipped.
- **WARRANTY:** WORLDMAQ-3 SL ensures the smooth operation of the machine for 12 months or up to 1800 hours of operation from the date of sale of the machine. The warranty covers manufacturing defects in materials and repair time. It does not include defects and damage caused by improper use or its elements. Neither consumable materials nor those subjected to wear are included.
- **MAINTENANCE:** Preventive maintenance of the machine is the responsibility of the client and it is available through WORLDMAQ-3 SL or its official distributors and maintenance services.
- **QUALITY CONTROL:** We ensure the machining of parts, assembly and correct machine functioning. Several tests carried out under normal working conditions. Follow-up on quality control is carried out during statistical quality inspections, which optimize the most important aspects of the machine.
- **INSTALATION AND START-UP:** The installation of the machine at its destination will be carried out by the customer or by our specialized dealers, according instructions and user manual provided.
- **PAYMENT:** 30% down payment of the total amount of the machine by bank transfer when accepting the commercial offer and placing the order. (No order shall be deemed confirmed until the requested down payment of 30% has been sent).
The remaining 70% of the total amount of the machine will be made by bank transfer or confirmed documentary Letter of Credit (LC).
Please, ask for alternative payment options.
- **DELIVERY TIME:** This period will be established by mutual agreement of both parties at the beginning of the project.
If the buyer fails to make the payments as established, there will be a recalculation of the delivery time of supply.
- **DOCUMENTATION:** A complete instructions manual of the purchased machine will be delivered along. Languages to choose from are: English, French, Spanish or Catalan.



**B
E
R
M
A
Q**



Newlist 2018 Plastic working machinery



WORLDMAQ-3 S.L.
Ctra. Molí del Castell S/N
AVIÀ 08610
BARCELONA - SPAIN

Tel. - + 34 93 823 10 60
bermaq@bermaq.com
www.bermaq.com



BOX

AMT AM2i AMI-C



**B
E
R
M
A
Q**

**P
L
A
S
T
I
C
-
C
-
1
-
C
-
8**



WORLDMAQ-3 S.L.
Ctra. Molí del Castell S/N
AVIÀ 08610
BARCELONA - SPAIN

Tel. - + 34 93 823 10 60
bermaq@bermaq.com
www.bermaq.com



BOX



Portable tabletop machine, ideal for polishing acrylic and PMMA pieces with a high quality finish. Chips suction system is included.

The BOX machine is great either for the end-user to polish small pieces or for the final touch of a technician on-site. Carrying it is easy thanks to its two handles, its weight, and its compact size.

STANDARD EQUIPMENT:

- Polishing tool set: synthetic diamond for transparent finish (black / red): 1 unit
- Working length: 700mm
- PACKING: at no cost

TOTAL DIMENSIONS: **88 x 63 x 45 cm** | TOTAL WEIGHT: **37 Kg**

Optionals



**All the prices stated above are EXW AVIÀ (SPAIN), transport and installation not included.
Packaging at no cost**

WORLDMAQ-3 S.L.
Ctra. Molí del Castell S/N
AVIÀ 08610
BARCELONA - SPAIN

Tel. - + 34 93 823 10 60
bermaq@bermaq.com
www.bermaq.com

BERMAQ

PLASTIC-18



AMT



Table top acrylic edge polisher designed to achieve a high quality finish. On the AMT model, its working table can be positioned to obtain bevels or angles up to 60°. It is ideal for the machining of small parts.

STANDARD EQUIPMENT:

EIMQ-127120/01: Polishing disk of 2 interchangeable tools including:

EIMQ-131001-LA: PCD for the pre-cutting pass (black) (1 unit)

EIMQ-131003-LA: PCD for the transparent finishing (red) (1 unit)

Belt-type clamp

Wooden package at no cost

TOTAL DIMENSIONS: **88 x 63 x 45 cm** | TOTAL WEIGHT: **110 Kg**

NEW: Precision gauge for the optical contact of the tool. (See figure on the right)



Options



All the prices stated above are EXW AVIÀ (SPAIN), transport and installation excluded.

WORLDMAQ-3 S.L.
Ctra. Molí del Castell S/N
AVIÀ 08610
BARCELONA - SPAIN

Tel. - + 34 93 823 10 60
bermaq@bermaq.com
www.bermaq.com

B
E
R
M
A
Q

P
L
A
S
T
I
C
-
1
8



AM2-i



The **AM2-i** acrylic edge polisher has been designed for the machining and polishing of methacrylate PMMA workpieces.

It is equipped with a manually tilting head that enables up to +45° angle jobs. Along with an automatic depth setting motor and a touch screen, it allows for an easy user-friendly operation.

STANDARD EQUIPMENT:

EIMQ-131300: 4-housing polishing disk of interchangeable tools including:

EIMQ-131001-LA: PCD for the pre-cutting pass (black) (1 unit)

EIMQ-131003-LA: PCD for the transparent finishing (red) (1 unit)

EIMQ-131000-EU: Counterweight for 4-housing polishing disk (2 units)

Working length: 1400 mm*

Clamps: five (5) units

Wooden box: Packaging at no cost

Total dimensions **220 x 120 x 150 cm** | Total weight: **120Kg**

***New:** Customized work area, now opened on both sides, allows for a *longer workpiece*.

Optionals



All the prices stated above are EXW 08610 AVIÀ (SPAIN)

Transport and installation not included.

Packaging at no cost

WORLDMAQ-3 S.L.
Ctra. Molí del Castell S/N
AVIÀ 08610
BARCELONA - SPAIN

Tel. - + 34 93 823 10 60
bermaq@bermaq.com
www.bermaq.com

B
E
R
M
A
Q

P
L
A
S
T
I
C
-
1
8



AMI-C 2100



The AMI-C acrylic edge polisher has been designed to polish bevels and angles up to 60° thanks to its tilting head (-2° to +60°). The working length of the machine is 2.100 mm and it can polish a maximum thickness of 120 mm.

STANDARD EQUIPMENT:

EIMQ-131301: 4-housing polishing disk of interchangeable tools including:

EIMQ-131001-LA: PCD for the pre-cutting pass (black) (1 unit)

EIMQ-131003-LA: PCD for the transparent finishing (red) (1 unit)

EIMQ-131000-EU: Counterweight for 4 housing disk (2 units)

5 clamps

Wooden box: Packaging at no cost.

MEDIDAS DE CAJA: **380 x 176 x 184 cm** | PESO TOTAL: **2300 Kg**

Ethernet connection

Options



TOOLS

Polishing disks:

EIMQ-131301-EU: 4-housing polishing disk of interchangeable tools

Spare tools for disk EIMQ-131100-EU

EIMQ-131001-LA: PCD for the pre-cutting pass (black)

EIMQ-131002-LA: Natural diamond for the transparent finishing (blue)

EIMQ-131003-LA: PCD for the transparent finishing (red)

EIMQ-131004-LA: PCD for a matt finishing (green)

EIMQ-131006-LA: PCD for the pre-cutting pass (white)

EIMQ-131007-LA: PCD for the pre-cutting pass (yellow)

EIMQ-131023-LA Natural diamond for polycarbonate material (light brown)

EIMQ-131024-LA: Natural diamond for extruded material (brown)

EIMQ-131000-EU: Counterweight for 4-housing polishing disk



AMI-C 3100



The AMI-C acrylic edge polisher has been designed to polish bevels and angles up to 60° thanks to its tilting head (-2° to +60°). The working length of the machine is 3.100 mm and it can polish a maximum thickness of 120 mm.

STANDARD EQUIPMENT:

EIMQ-131301: 4-housing polishing disk of interchangeable tools including:

EIMQ-131001-LA: PCD for the pre-cutting pass (black) (1 unit)

EIMQ-131003-LA: PCD for the transparent finishing (red) (1 unit)

EIMQ-131000-EU: Counterweight for 4 housing disk (2 units)

7 clamps

Wooden box: packaging at no cost

TOTAL DIMENSIONS: **462 x 160 x 190 cm** | TOTAL WEIGHT: **3000 Kg**

Ethernet connection

Options

TOOLS

Polishing disks:

EIMQ-131301-EU: 4-housing polishing disk of interchangeable tools

Spare tools for disk EIMQ-131100-EU

EIMQ-131001-LA: PCD for the pre-cutting pass (black)

EIMQ-131002-LA: Natural diamond for the transparent finishing (blue)

EIMQ-131003-LA: PCD for the transparent finishing (red)

EIMQ-131004-LA: PCD for a matt finishing (green)

EIMQ-131006-LA: PCD for the pre-cutting pass (white)

EIMQ-131007-LA: PCD for the pre-cutting pass (yellow)

EIMQ-131023-LA Natural diamond for polycarbonate material (light brown)

EIMQ-131024-LA: Natural diamond for extruded material (brown)

EIMQ-131000-EU: Counterweight for 4-housing polishing disk

